

digitalbild & ljud

WHAT IS THE EC LIVING?

The EC Living is a wireless and modular Audio/Video system with a focus on a sound and design perfection



EC-Living Wireless Streamer (för ljud)



Rek pris Inkl moms



RENA S-1

Färg: Aluminium silver med svart glas topp

Nyhet!

RENA S-1 är lösningen för dem som redan har ett befintligt ljudanläggning som är bra, men att det är önskvärt uppdateras till nästa generation audio streaming nivå. Modulen kan enkelt anslutas till en befintlig förstärkare.

Detta gör RENA S-1 till en låg kostnad för att få tillgång till den senaste tekniken av trådlös streaming och hela EC Living styrsystem. Man kan senare växa och expandera systemet i önskad riktning. Lägg till SIRA L-1 subwoofer för att uppdatera systemet med mer punch, eller lägga till fler TANA L-1 trådlösa högtalare för att antingen få fler kanaler eller ersätta det nuvarande systemet vid ett senare tillfälle. Välj bland ett brett utbud av färger och utföranden för att skräddarsy utformat sina egna behov.

Ljudkvalitet i high-end klass! Streamerns ljudkvalitet är i klass med Electrocompaniets high-end streamer ECM2. Båda dessa streamers gör två viktiga saker rätt hårdvarumässigt. Först läser den av alla ettor och nollor för att sedan buffras på ett interminne. Till slut packas dessa filer upp på ett tekniskt smart sätt. Resultatet är ett otroligt bra ljud. Den inbyggda Electrocompaniet DAC:en har en mkt bra ljudkvalitet i klass med DAC:ar i prisklassen 5-10 tusen kronor.

D-A / OMVANDLARE:

- DAC 24bit / 192kHz

KABINET:

- Solid aluminiumhölje med ovansida i reptåligt glas

ANSLUTNINGAR

- 1 x USB för external hårddisk
- 1 x S/PDIF TOSLINK ingång
- 1 x S/PDIF COAX ingång
- 1 x Gigabit Ethernet (1000Mbps)
- 1 x Coaxial S/PDIF utgång
- 1 x Stereo analog RCA utgång

TRÅDLÖS ANSLUTNING

- Avancerad 802,11 AC Wi-Fi
- 96kHz / 24bit för trådlösa

STREAMING EGENSKAPER:

- Airplay
- Spotify Connect
- TIDAL
- WiMP
- Qobuz
- Internetradio

STYRAPP:

EC Remote app på App Store & Google Play

FORMAT:

- Alla populat format, inklusive: WAV / WAVE, MP3, AAC +, Vorbis, AC3, DTS, ALAC, FLAC, APE, WMA, upp till 192 kHz / 24bit, DSD, upp till DSD 128 (5,6 Mhz)



Tfn: 08-777 20 01

6 500,00 kr st



RENA SA-1

Färg: Aluminium silver
med svart glas topp

Nyhet!

Rena SA-1 innehåller både en streamer och en kompakt men kraftfull digital förstärkare för att uppgradera din befintliga högtalarsystem med nästa generations audio streaming. Den ansluts direkt till din befintliga högtalare, och kan enkelt köra även de största av högtalarna. Rena SA-1 är den perfekta produkten för dem som vill byta ut sina gamla stora stereo med en snygg och kompakt lösning. Eller för dem som vill fortsätta använda sina passiva högtalare, och har en kompakt lösning med streaming. Du kan även lägga till en SIRA L-1 subwoofer för att uppgradera ditt system med mer punch.

7 500,00 kr st

Ljudkvalitet i high-end klass! Streamerns ljudkvalitet är i klass med Electrocompaniets high-end streamer ECM2. Båda dessa streamers gör två vesäntliga saker rätt hårdvarumässigt. Först läser den av alla ettor och nollor för att sedan buffras på ett interminne. Till slut packas dessa filer upp på ett tekniskt smart sätt. Resultatet är ett otroligt bra ljud. Den inbyggda Electrocompaniet DAC:en har en mkt bra ljudkvalitet i klass med DAC:ar i prisklassen 5-10 tusen kronor.

Slutsteget i RENA SA-1 är mkt kraftfullt och kan driva staihögtalare samt större golvhögtalare på hög volym.

Förstärkare & DAC

- 2 x 75W klass D förstärkare
- DAC 192 kHz / 24bit
- 32-bitars DSP

KABINET:

- Solid aluminiumhölje med ovasida i reptåligt glas

ANSLUTNINGAR

- 1 x USB för extern hårddisk
- 1 x S/PDIF TOSLINK ingång
- 1 x S/PDIF COAX ingång
- 1 x Gigabit Ethernet
- 1 x Coaxial S/PDIF utgång
- 1 x Stereo analog RCA utgång anslutning
- 2 x högtalarterminaler

TRÅDLÖS

ANSLUTNING

- Avancerad 802,11 AC Wi-Fi
- 96kHz / 24bit för trådlösa högtalare

STREAMING EGENSKAPER:

- Airplay
- Spotify Connect
- TIDAL
- WiMP
- Qobuz
- Internetradio

STYRAPP:

EC Remote app på App Store & Google Play

FORMAT:

- Alla populat format, inklusive: WAV / WAVE, MP3, AAC +, Vorbis, AC3, DTS, ALAC, FLAC, APE, WMA, upp till 192 kHz / 24bit, DSD, upp till DSD 128 (5,6 Mhz)



digitalbild & ljud

EC-Living SingleStereo-Högtalare med inbyggd streamer



Rek pris inkl moms



TANA SL-1 *Nyhet!*

Huvudhögtalare (SingleStereo-Högtalare)

7 000,00 kr st

FÖRSTÄRKARE:

- 150W klass A-B förstärkare

OMVANDLARE:

- DAC 24bit / 192kHz

KABINET:

- Solid aluminiumhölje med
ovansida i reptåligt glas

ANSLUTNINGAR

- 1 x USB för extern lagring
- 1 x TOSlink ingång
- 1 x koaxial ingång
- 1 x Ethernet 10/100/1000 Mbit / s

TRÅDLÖS ANSLUTNING

- Avancerad 802,11 AC Wi-Fi
- 96kHz / 24bit trådlös direkt-
anslutning

STREAMING EGENSKAPER:

- Airplay
- Spotify Connect
- TIDAL
- WiMP
- Qobuz
- Internetradio

STYRAPP:

EC Remote app på App Store & Google Play



FORMAT:

- Alla populat format, inklusive: WAV /
WAVE, MP3, AAC +, Vorbis, AC3, DTS,
ALAC, FLAC, APE, WMA, upp till 192 kHz /
24bit, DSD, upp till DSD 128 (5,6 Mhz)



TANA L-1

Add-on högtalare till TANA SL-1 för att få ett stereopar

6 500,00 kr st

Stereopar av

TANA SL-1 + TANA L1

Nyhet!

Stereopar med huvudhögtalare TANA SL-1 och add-on högtalaren L1

14 000,00 kr st

Electrocompaniet - Monoslutsteg

Classic LINE

Rek pris Inkl moms



NEMO (AW 600)	<p>The Electrocompaniet AW 600 monaural power amplifier represents the ultimate fidelity in sound reproduction. The stunning capabilities of the Electrocompaniet AW 600's cannot be explained - they have to be experienced. AW 600 incorporates such refined features as: FTT (Floating Transformer Technology) power supply capable of delivering twice the current of a conventional power supply, a first class overall circuit design and state-of-the-art components.</p> <p>1 x 600W i 8 ohm, 1 x 1200W i 4 ohm</p>	70 000,00 kr st
AW 400	<p>The Electrocompaniet AW 400 is a powerful mono amplifier, with a characteristic fast and clean sound. The power amplifier is analytic and built for dynamic reproduction of low level as well as high level playback. AW 400 incorporates such refined features as: FTT (Floating Transformer Technology) power supply capable of delivering twice the current of a conventional power supply, first class overall circuit design and state-of-the-art components which provide uncompromising sonic and mechanical quality. The AW 400 produces 400W of clean and powerful dynamics into an 8 Ohms load.</p> <p>1 x 400W i 8 ohm, 1 x 765W i 4 ohm</p>	50 000,00 kr st
AW 180	<p>The Electrocompaniet AW 180 monaural power amplifier is based on the AW 600, and has the same ultimate fidelity in sound reproduction. This amplifier is known for its musicality and warm sound. The Electrocompaniet AW 180 features a balanced link to additional amplifier(s) for bi-amping. It can easily be used in bridge mode, delivering up to four times the power.</p> <p>1 x 250W i 8 ohm, 1 x 380W i 4 ohm</p>	40 000,00 kr st

Electrocompaniet - Stereoslutsteg

Rek pris Inkl moms



AW 250-R	<p>The Electrocompaniet AW 250R power amplifier is known for its uncoloured and excellent reproduction qualities. From the first note of any familiar recording, you will be captivated by the AW 250R and by the musical enjoyment it will give you. The AW 250R features a balanced link to additional amplifier(s) for bi-amping. It can easily be used in bridge mode, delivering up to four times the power.</p> <p>2x 250W i 8 ohm, 2 x 380W i 4 ohm Vikt 39kg</p>	65 000,00 kr st
----------	---	-----------------

Electrocompaniet - Förförstärkare

Rek pris Inkl moms



EC 4.8	<p>With its outstanding performance, excellent resolution, superb control and precise musical reproduction, we have finally succeeded in making a preamplifier that is true to our slogan, "Closing the gap to the master". Our new two-channel EC 4.8 preamplifier is sure to make all good power amplifiers sound even better. It is designed as two separate mono preamplifiers, each with its own independent power supply.</p>	35 000,00 kr st
--------	---	-----------------

digitalbild & ljud

The EC 4.8 includes the innovative SPAC network technology that provides safety for connected power amplifiers.

Electrocompaniet - Integrerade Förstärkare

[Hör alla våra modeller](#)

ECI 3 The Electrocompaniet ECI 3 is a DC coupled high performance, fully balanced, remote controlled intergrated stereo amplifier - rated at **2 x 70 Watts**. It features one balanced XLR input, five single-ended RCA inputs, a balanced output, and two single-ended recording outputs. The ECI 3 is equipped with a balanced, motorized volume control without sonic degradation, and all input switching is done by relays. 28 000,00 kr st



ECI 5 MK II The Electrocompaniet ECI 5 MK II is a DC coupled high performance, fully balanced, remote controlled integrated stereo amplifier - rated at **2 x 120 Watts**. The balanced output of the ECI 5 MK II can feed an additional power amplifier in a bi-amped set-up and has also a new and improved overload detection system that allows us to remove the output relay. In effect the output stages are connected directly to the loudspeakers without the need for relay controls in the signal path which can deteriorate over time and affect audio quality. All input switching is handled by high-end analogue switches with virtually no distortion and a life time of trouble free operation. All to ensure that the ECI 5 MK II will reproduce your favourite music the way it was recorded. 38 000,00 kr

Electrocompaniet - Integrerade Förstärkare ECI 5 MK II med inbyggd ECD2 DAC och nätverkstreamer

[Hör alla våra modeller](#)

ECI 6 D The ECI 6D is a DC coupled, high performance and fully balanced integrated amplifier with a built in high-end DAC. Combining both digital and analouge inputs the ECI 6D will serve as a powerful centerpiece to your audio system offering superb flexibility. Digital sources can be connected by two Coax inputs, USB and two Toslink inputs. The integrated amplifier is based on the successful ECI 5 MK II and offers **2x 125 Watts**. Analouge sources can be connected by the balanced (XLR) input and three single-ended (RCA) inputs. 45 000,00 kr



ECI 6 DX 60 000,00 kr

Nyhet!

Electrocompaniet ECI 6DX Balanserade Integrerade förstärkare med nästa generations streaming funktionalitet.

ECI 6DX kombinerar en best-in-class funktioner med banbrytande ljudteknik och Electrocompaniets ljudkvalitet. Denna enhet kan spela vilket och vad för ljud du önskar samt var du önskar lyssna någonstans. Och får det att låta med den kvalitet det skall. Den inbyggda streamern är extremt kraftfull, flexibel och lätt att använda. Den kan spela direkt från musiktjänster som Tidal, Spotify och internet-radio kan matas musik via AirPlay eller DLNA, och det kan även indexera och spela från din egen musiksamling som lagrats på ditt nätverk.

Den delar samma DNA som ECM 2 och nya EC Livings produktserie. Detta innebär att du kan använda samma program och gränssnitt, vilket gör enheten universell i Electrocompaniets ekosystem. Samtliga enheter är lika flexibla och kommer att fungera lika bra tillsammans. ECI 6DX kan drivas av den intuitiva iOS eller Android EC Remote appen, ett universella webbgränssnitt, eller med den enkla IR fjärrkontrollen.

ECI 6DX kommer med samma tekniska specifikationer som ECI 6D integrerade förstärkare med DAC. Den har en high-end DAC och en kraftfull 2 x 125 Watt integrerad förstärkare. Denna produkt sammanför modern trådlös och digital teknik med kraft och förträffliga ljud våra välkända Classic Line produkter har och kommer att föra Electrocompaniet in i framtiden för streaming.

En uppgraderingsprogram för ECI 6D och ECI 6DS kommer också att göras tillgängliga, så att alla ECI 6 ägare att dra nytta av de nya streamingteknik. Mer information om detta program kommer att göras tillgängliga på Electrocompaniet.no

Fakta:

- Spotify Connect, Tidal och Qobuz Hi-Res certifierad
- AirPlay certifierad
- Internetradio
- musikbibliotek från lokala USB- eller nätverkskällor
- DLNA renderaren
- iOS, Android och webbapplikationer (EG Remote)
- WiFi certifierad (avancerad 802,11 AC med 2x2 MIMO)
- 1 Gigabit Ethernet (1000Mbps)
- DAC 192 kHz / 24bit

SB, Coax och Toslink ingångar



digitalbild & ljud

- Kraftfull 2 x 125 W integrerad förstärkare
- Vikt 20 kg

Electrocompaniet - CD spelare

http://www.ecom.se



EMC 1 MK III	The EMC 1 MK III comes from lineage of true reference level top loaders and features a unique cancellation system which cancels acoustic and mechanical vibrations, preventing the laser pick-up from receiving unwanted and sonically degrading signals. The EMC 1UP features our latest, fully balanced symmetrical state-of-the-art circuit design. Due to the higher sampling frequency and the cancellation of digital noise in the balanced system, the bandwidth is moved two octaves up in frequency compared to the standard CD system using 44.1kHz sampling frequency.	50 000,00 kr st
ECC 1	The latest 24bit/192kHz DAC from Cirrus Logic, together with a precision fully balanced analogue output stage operating in class A, sets the basis for a detailed, delicate and dynamic sound. A damping platform based on laser pick-up. The ECC 1 features both balanced and single-ended outputs, and a coaxial digital output. The analogue output filter is optimized to reduce the phase shift at higher frequencies, thereby leaving the high frequency music information intact.	30 000,00 kr st

Electrocompaniet - Blue-Ray-, SACD-, DVD- och CD-spelare

http://www.ecom.se



Musikuppspelning från det egna nätverket t ex. via NAS eller via USB-sticka (med maximalt 5V, 1000mA). Stödjer formaten:



Konstruerad med Electrocompaniets finaste balanserade stereoutgångsteg för uppspelning av SACD och CD samt designad med Electrocompaniets avancerade DAC

EMP 3	EMP 3 is a fully fledged and versatile multiplaye with support for all modern audio & video formats. New features to this model are a 4K video up-scaling, HDMI input and dual-core processor which gives a quick startup and fast disc loading screen. With the 2D to 3D conversion technology you can take your standard DVD, Blu-ray, and other video content to the next dimension by converting them to 3D with the simpel press of a button. The EMP 3 is a real multiplaye that works perfectly as a playe in multichannel set-up and as a two channel CD/SACD playe. The EMP 3 offers both phono and XLR balanced outputs.	30 000,00 kr st
-------	--	-----------------

Electrocompaniet - DAC



ECD 2

The new ECD 2 combines the classic Electrocompaniet design with the modern technology. The sound from any digital source like Blu-ray, CD players, TV/Satellite tuners, computers and iPod docking stations will be improved. Digital sources can be connected by a 2xCoax, Toslink and USB inputs. ECD 2 has an asynchronous USB interface supporting HD audio up to 192kHz/24bit. ECD 2 has built-in Volume control for direct connection to a power amplifier.

25 000,00 kr st

Electrocompaniet - Mediaplayer för HD-ljud och HD-film



ECM 2

The ECM 2 combines a media player with the DAC from the ECD 2 in order to truly reproduce lossless and high-resolution digital content. The ECM 2 will let you listen to high-definition audio, watch video in full-HD 1080p, and decodes DTS-HD and Dolby TrueHD formats for optimal quality. The cutting edge digital audio and video electronics are combined with state of the art analog circuitry based on the design principles of Electrocompaniet. The result is an extremely low level of distortion, noise and jitter that will reproduce all your digital sources ultra-detailed and accurate, while still maintaining the warm and open Electrocompaniet sound. The system can be controlled by tablet, smartphone or via remote on the attached TV monitor /projector. The ECM 2 can play music, movies, and television shows from network attached storage, a usb disk or an internal drive. The ECM-2 excels in its role as a high-end media hub in your music system. Not only can it play your high-quality music and videos, it also lets you access YouTube and internet radio. You can also push your music and movies directly from your mobile device to the ECM 2.

45 000,00 kr st

Viktigaste egenskaper

Stereoljud: DSD 5.6 (128), WAV, AIFF och flac uppspelning i 24bit/196kHz
Professionell uppackning av flac-filer så att de låter lika bra som Wav och AIFF

Bioljud: DTS och AC3 i Dolby Digital

Filmformat: Full HD 1080p med 24bit/196kHz ljud, MPEG-4/AVC H.264, MPEG-2, MPEG-4 och H.263
Filmfunktion: Lip-sync medans man tittar

Styrfunktion: Dedikerad ios- och android app för fjärr-styrsystem och medföljande fysisk fjärrkontroll

Inbyggd media: TIDAL Streamaig Native, YouTube HD och internetradio med fjärrstyrning



Albumkonvolut för musik: Automatisk upphämtning av albumkonvolut

Smart extern USB-in: Det går att använda externa USB-hårddiskar utan strömförsörjning och USB-stickor för uppspelning



Intern lagring: Det går att installera 3,5" och 2,5" SSD hårddisk samt vanliga SATA hårddiskar innanför chassit



SSD - intern hårddisk

digitalbild & ljud

Webinterface (kommer snart)

Electrocompaniet - Skivspelare

[Rück zur Startseite](#)



ECG 1

The Electrocompaniet ECG-1 is a sandwich construction made out of three layers: acrylic and aluminum, benefiting from the internal dampening in the acrylic and the rigidity of the aluminum. This sandwich construction with its different materials increases the internal vibration dampening further, so the chassis will have no resonance problems. The ECG 1 is fitted with a platter made out of acrylic that is very similar to the vinyl material used in the record. The acrylic material in the platter has good internal dampening, so it won't "ring" like a metal platter. The ECG-1 turntable is fitted with a 24 Volt AC asynchronous motor that is perfectly controlled by a 2 phase low harmonic analogue sine wave controller. An AC motor is very precise and will follow the frequency of the motor controller.

35 000,00 kr st

Electrocompaniet - Riaa-steg MC och MM

[Rück zur Startseite](#)



ECP 2

The new Electrocompaniet ECP 2 Phono Preamplifier is designed according to guidelines seen in the phono preamplifier from Dynamic Precision. It incorporates state-of-the-art instrumentation operational amplifiers and like other Electrocompaniet products, it uses the highest quality of discrete components through the whole signal path, all DC coupled of course. The ECP 2 accommodates any imaginable pick-up and cable combination, thanks to it's highly configurable input stage. User can select best suiting capacitive and resistive load configuration regarding to the pick-up cartridge used as source, no matter whether it is of an MM or MC type. Overall gain is also adjustable in 5 dB steps to accommodate different output levels from different pick-ups. The ECP 2 follows strictly the standard RIAA playback equalization curve, having also steep low frequency roll-off to filter out unwanted signals originating for example from playing back warped records.

20 000,00 kr st

Electrocompaniet - Högtalare

[Rück zur Startseite](#)



Model 1

The multi disciplinary team consisting of industrial designers, specialists in acoustics, engineers and metallurgists have been working for three years to develop these exclusive high performance loudspeakers. The cabinet technology developed breaks with the traditional and cost-efficient loudspeaker enclosures of thick, heavy wood based enclosure walls. We believe a cabinet should be made of a thin, light, stiff material, shaped with spherical surfaces. Spherical surfaces are very important as it increases the stiffness hundreds of times compared to the flat and tenfold compared to extruded aluminium profiles. The reason for our search for thin, light, stiff enclosures is based on the following: Hi frequency resonances, as those found in light and stiff materials, are much easier to muffle. We combine the outer 7 mm cast aluminum wall with a heavy dead muffler sandwich on the inside. Our muffling method is basically the same as the ones used in aircraft to enable the passengers leave the plane with their ears intact - which actually is quite remarkable considering that they have been sitting only a few meters away from one of the strongest sound producers made by man - a large jet engine. To improve this method even further we pre-tension the complete enclosure with pushrods loaded with 2500N. The absorbers inside the enclosure are shaped as wedges, preventing reflections from the sound waves reaching the rear side of the elements.

250 000,00 kr st